



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

City Reports for Week Ended Aug. 26, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Bridgeport, Conn.....	1	1	Detroit, Mich.....	1
Buffalo, N. Y.....	1	Dubuque, Iowa.....	1	1
Chicago, Ill.....	8	2	New York, N. Y.....	3	1
Cleveland, Ohio.....	1	1	Philadelphia, Pa.....	2

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2511.

ERYSIPELAS.

City Reports for Week Ended Aug. 26, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	3	Lexington, Ky.....	1
Boston, Mass.....	1	Los Angeles, Cal.....	1
Brockton, Mass.....	1	New York, N. Y.....	2
Buffalo, N. Y.....	1	Niagara Falls, N. Y.....	1
Chicago, Ill.....	6	1	Philadelphia, Pa.....	1
Cleveland, Ohio.....	2	Pittsburgh, Pa.....	1
Detroit, Mich.....	2	Reading, Pa.....	1
Harrisburg, Pa.....	1	St. Paul, Minn.....	1
Jackson, Mich.....	1	San Francisco, Cal.....	4	1

LEPROSY.

City Reports for Week Ended August 26, 1916.

During the week ended August 26, 1916, there were reported, by cities, two cases of leprosy—one case at Galveston, Tex., and one case at Los Angeles, Cal.

MALARIA.

Arkansas Report for July, 1916.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Bradley County.....	7	Monroe County.....	9
Calhoun County.....	30	Newton County.....	6
Carroll County.....	1	Perry County.....	6
Clay County.....	2	Phillips County.....	117
Conway County.....	1	Pulaski County.....	5
Dallas County.....	12	Scott County.....	10
Faulkner County.....	13	Sevier County.....	120
Garland County.....	6	Sharp County.....	5
Greene County.....	10	St. Francis County.....	70
Hempstead County.....	30	Stone County.....	2
Hot Spring County.....	60	Union County.....	96
Izard County.....	61	Washington County.....	4
Jackson County.....	60	White County.....	10
Johnson County.....	10		
Lafayette County.....	40	Total.....	810
Lawrence County.....	7		

City Reports for Week Ended Aug. 26, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....		1	Los Angeles, Cal.....	1	
Cleveland, Ohio.....	1		Mobile, Ala.....		1
Cumberland, Md.....	1		New Orleans, La.....	6	1
Everett, Wash.....	1		Philadelphia, Pa.....	2	
Hartford, Conn.....	1		Richmond, Va.....	1	
Jersey City, N. J.....		1	Sacramento, Cal.....	4	
Little Rock, Ark.....	2		San Francisco, Cal.....	1	

MEASLES.

Washington.

Surg. Lloyd reported September 1 that during the week ended August 26, 1916, 9 cases of measles were reported in Seattle, Wash., making a total of 5,391 cases, with 9 deaths, since February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 2511.

PELLAGRA.

State Reports for July, 1916.

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		Arkansas—Continued.	
Bradley County.....	3	Union County.....	23
Faulkner County.....	2	White County.....	2
Garland County.....	2		
Greene County.....	4	Total.....	75
Hot Spring County.....	1		
Izard County.....	1	West Virginia:	
Jackson County.....	1	McDowell County.....	1
Monroe County.....	1	Mingo County.....	1
Phillips County.....	30		
Pulaski County.....	4	Total.....	2
St. Francis County.....	1		

PELLAGRA—Continued.**City Reports for Week Ended Aug. 26, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1	1	Nashville, Tenn.....	45
Boston, Mass.....	1	1	New Orleans, La.....	1	1
Charleston, S. C.....	1	Richmond, Va.....	1
Columbia, S. C.....	6	Springfield, Mass.....	1	1
Galveston, Tex.....	1	Topeka, Kans.....	1
Mobile, Ala.....	1			

PLAGUE.**Louisiana—New Orleans—Plague-Infected Rats Found.**

Passed Asst. Surg. Simpson reported that rats captured in New Orleans, La., have been proved positive for plague infection as follows: A rat captured August 2, 1916, at 309 South Johnson Street, was proved positive August 29. A rat trapped August 16, 1916, at 1231 St. Thomas Street, was proved positive September 4, 1916. A rat trapped July 18, 1916, at 1609 Dorgenois Street, was proved positive September 5, 1916. A rat trapped August 7, 1916, at 2329 Iberville Street, was proved positive September 5, 1916. A rat trapped August 8, 1916, at 1420 Music Street, was proved positive September 6, 1916. A rat trapped August 15, 1916, at the corner of Fig and Dublin Streets, was proved positive September 6, 1916.

PNEUMONIA.**City Reports for Week Ended Aug. 26, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.....	76	25	Los Angeles, Cal.....	2	4
Cleveland, Ohio.....	4	9	Manchester, N. H.....	1	1
Detroit, Mich.....	3	2	Philadelphia, Pa.....	9	8
Fall River, Mass.....	1	Pittsburgh, Pa.....	6	8
Flint, Mich.....	1	Reading, Pa.....	2	1
Kansas City, Mo.....	1	2	San Francisco, Cal.....	1	5
Lancaster, Pa.....	1	Schenectady, N. Y.....	2
Lexington, Ky.....	1	1	Stockton, Cal.....	2	2

POLIOMYELITIS (INFANTILE PARALYSIS).**Arkansas.**

August 31 the health officer of Little Rock, Ark., reported a case of poliomyelitis in a child, age 11 years, recently arrived from Stewartville, Minn.

Colorado.

The State health officer of Colorado reported that during the week ended September 2, 1916, two cases of poliomyelitis were reported to the State Board of Health of Colorado—one case in Weld County and one in Colorado City.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Connecticut.**

Poliomyelitis cases reported in Connecticut during July and August, 1916, by weeks.

Week ended—	Cases reported.	Week ended—	Cases reported.
July 1.....	2	August 19.....	65
July 8.....	6	August 26.....	68
July 15.....	24	September 2.....	69
July 22.....	45	September 9.....	91
July 29.....	68		
August 5.....	69	Total.....	585
August 12.....	78		

Indiana.

The epidemiologist of the State Board of Health of Indiana reported that from July 1 to September 9, 1916, 72 cases of poliomyelitis were reported to the Indiana State board of health. Nine of these cases were reported during the week ended September 9, 1916.

Maryland.

Cases of poliomyelitis reported in Maryland, Aug. 1 to Sept. 11, 1916.

County.	Cases reported.		County.	Cases reported.	
	August.	Sept. 1 to 11.		August.	Sept. 1 to 11.
Allegany.....		1	Howard.....	1	2
Anne Arundel.....	9	2	Montgomery.....	1	1
Baltimore.....	5	1	Prince Georges.....	4	
Carroll.....	1	1	Washington.....	2	
Charles.....	1		Wicomico.....	2	
Dorchester.....		1	Baltimore City.....	34	19
Garrett.....	2	1			
Harford.....	2		Total.....	64	29

Baltimore.—Surgeon Vogel reported that during the week ended September 9, 1916, 12 cases of poliomyelitis, with 9 deaths, were notified in Baltimore. On September 13 he reported 5 new cases of poliomyelitis with 1 death.

Minnesota.

Collaborating Epidemiologist Bracken reported September 10 that during the week ended September 9, 1916, 54 cases of poliomyelitis, with 4 deaths, were reported to the Minnesota State Board of Health. The total since January 1, 1916, is 581 cases with 53 deaths.

Montana.

The State health officer of Montana reported September 12: Two cases of poliomyelitis at Wolf Point, Sheridan County, Mont.; 1 case at Laurel; and 6 cases at Billings, Mont.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**New Jersey.**

The State health officer of New Jersey reported that from September 6 to 14, 1916, inclusive, 352 cases of poliomyelitis were reported to the New Jersey State board of health. The total cases notified in the State of New Jersey since June 30, 1916, is 3,230.

New York.

Cases of poliomyelitis reported to the New York State department of health, Aug. 1 to Sept. 9, 1916, inclusive (not including New York City).

Place.	Cases.	Place.	Cases.
Colchester, Delaware County.....	8	Nassau County.....	297
Poughkeepsie city.....	48	Suffolk County.....	294
Fishkill Township.....	8	Sullivan County.....	64
Hyde Park.....	8	Ulster County.....	52
Windham.....	9	Westchester County.....	295
Orleans, Jefferson County.....	5	Peekskill.....	6
Sullivan Township.....	6	White Plains.....	22
Oneida city.....	11	Mount Vernon.....	24
Utica city.....	24	New Rochelle.....	7
Syracuse city.....	119	Ossining.....	29
Skaneateles village.....	7	Fort Chester.....	29
Fayetteville.....	7	Yonkers.....	38
Walden village.....	13	Bedford.....	6
Oswego city.....	12	Mamaroneck.....	14
Fulton city.....	5	North Tarrytown.....	21
Gouverneur village.....	14	Pleasantville.....	9
Ithaca city.....	12		
Campbell.....	8	Total.....	1,596

New York City.—Surg. Lavinder reported September 7: New cases poliomyelitis, 61; deaths, 28. September 8: New cases, 48; deaths, 15. September 9: New cases, 55; deaths, 10. September 10 and 11: New cases, 66; deaths, 23. September 12: New cases, 38; deaths, 18. September 13: New cases, 31; deaths, 9. September 14: New cases, 36; deaths, 11. Approximate corrected totals: Cases, 8,650; deaths, 2,162.

Ohio.

Cincinnati.—Asst. Surg. Bolten reported that during the two weeks ended September 9, 1916, 9 cases of poliomyelitis were notified in Cincinnati, Ohio, making a total of 25 cases with 3 deaths since July 12.

Oregon.

Surg. Magruder reported September 9 that a case of poliomyelitis had been notified in Portland, Oreg.

Pennsylvania.

Pittsburgh.—Surg. Schereschewsky reported that during the two weeks ended September 9, 1916, 8 cases of poliomyelitis were reported to the health department of the city of Pittsburgh, Pa. The total number of cases since July 1, 1916, is 21 with 5 deaths.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Rhode Island.**

Passed Asst. Surg. Marshall reported September 6 that during the week ended September 2, 1916, 14 cases of poliomyelitis were notified in Rhode Island as follows: Providence, 10 cases; Newport, 1; East Providence, 1; Bristol, 2.

On September 11 he reported that during the week ended September 9, 1916, 11 new cases of poliomyelitis were notified as follows: Providence, 3 cases; Bristol, 4; Lincoln, 2; Warren, 1; Portsmouth, 1.

The total number of cases of poliomyelitis reported in Rhode Island since July 22, 1916, is 101.

Texas.

El Paso.—Acting Asst. Surg. Tappan reported that during the week ended September 9 two cases of poliomyelitis were notified in El Paso, Tex., and that since August 1 six cases had been notified in El Paso, Tex. Juarez, Mexico, has quarantined against El Paso for poliomyelitis. No children under 16 years of age are allowed to cross the international bridge going into Mexico.

Vermont.

The State health officer of Vermont reported that during the month of August, 1916, eight cases of poliomyelitis were reported to the Vermont State board of health.

Washington.

Collaborating Epidemiologist Tuttle reported that during the week ended September 2, 1916, two cases of poliomyelitis were reported in the State of Washington; one in King County and one in Clallam County.

Surg. Lloyd reported September 7 that two cases of poliomyelitis had been notified in Seattle, Wash. One case was in a Japanese alien who landed undetected August 31, after two weeks' illness.

West Virginia.

The State health commissioner of West Virginia on September 6, 1916, reported a case of poliomyelitis at Wheeling, W. Va., in a child 13 years old, recently arrived from Glencoe, Belmont County, Ohio.

The assistant commissioner of health of West Virginia reported that during the week ended September 9, 1916, five cases of poliomyelitis were reported to the State department of health of West Virginia.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Arkansas Report for July, 1916.

During the month of July, 1916, there were five cases of poliomyelitis (infantile paralysis) reported in Arkansas; three cases in Little River County, one case in Scott County, and one case in White County, Ark.

City Reports.

Place.	Week ended Aug. 26, 1916.		Aug. 27 to—	Cases.	Deaths.
	Cases.	Deaths.			
Akron, Ohio.....	1		Sept. 2.	3	
Atlantic City, N. J.....	5		Sept. 9.	10	
Auburn, N. Y.....	2		Sept. 2.	1	1
Baltimore, Md.....	9	3	Sept. 9.	28	12
Bayonne, N. J.....	4		do.	6	
Binghamton, N. Y.....	2		Sept. 2.	1	
Birmingham, Ala.....	2				
Boston, Mass.....	8	6	Sept. 2.	13	7
Bridgeport, Conn.....	3	2	do.	3	
Brookline, Mass.....			Sept. 9.	1	
Buffalo, N. Y.....	1	1	Sept. 2.	1	
Butler, Pa.....	1		Sept. 9.	1	
Cambridge, Mass.....	2		do.	3	
Camden, N. J.....	6		do.	14	
Chelsea, Mass.....			do.	1	1
Chicago, Ill.....	22	5	do.	49	10
Chicopee, Mass.....			do.	1	
Cincinnati, Ohio.....	5	1	do.	5	
Cleveland, Ohio.....	2		do.	7	
Covington, Ky.....	1		do.	1	
Cumberland, Md.....			do.	1	
Detroit, Mich.....	6		do.	5	1
East Orange, N. J.....	10		do.	16	1
Fall River, Mass.....			do.	1	
Fitchburg, Mass.....			Sept. 2.	1	
Flint, Mich.....	8	2			
Grand Rapids, Mich.....	1		Sept. 9.	3	
Harrisburg, Pa.....	1		do.		
Harrison, N. J.....	6	2			
Hartford, Conn.....	4				
Haverhill, Mass.....	5	1	Sept. 9.		1
Jackson, Mich.....	1				
Jersey City, N. J.....	16	3	Sept. 9.	31	3
Johnstown, Pa.....	1		Sept. 2.		
Kalamazoo, Mich.....	1		do.		
Kansas City, Kans.....			do.	1	
Kearny, N. J.....	5	1			
Kenosha, Wis.....			Sept. 2.	2	1
La Crosse, Wis.....			do.	2	
Lancaster, Pa.....			Sept. 9.	4	
Little Rock, Ark.....			do.	1	
Long Branch, N. J.....	2		Sept. 2.	8	
Lowell, Mass.....	1		Sept. 9.	2	1
Lynchburg, Va.....			do.	4	1
Lynn, Mass.....	1	1	Sept. 2.	2	
Manchester, N. H.....			Sept. 9.	8	3
Medford, Mass.....	2	1	do.	4	
Memphis, Tenn.....			Sept. 2.	2	
Minneapolis, Minn.....	14		do.	12	
Mobile, Ala.....	1		Sept. 9.	2	
Montclair, N. J.....	2		Sept. 2.	1	
Morristown, N. J.....	1		do.	1	
Nanticoke, Pa.....	1		Sept. 9.		
New Bedford, Mass.....	1		do.	2	1
New Britain, Conn.....	1		do.	3	
Newburyport, Mass.....	1	1	do.	7	2
New Orleans, La.....	2		do.		
Newport, R. I.....			Sept. 2.	1	1
New York, N. Y.....	707	209	Sept. 14.	964	342
Norristown, Pa.....	4		Sept. 9.	2	
North Adams, Mass.....	5		do.		2
Northampton, Mass.....	2	1	do.	2	1
Orange, N. J.....	10		Sept. 2.	15	3
Passaic, N. J.....	3	1	do.		

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**City Reports—Continued.**

Place.	Week ended Aug. 26, 1916.		Aug. 27 to—	Cases.	Deaths.
	Cases.	Deaths.			
Perth Amboy, N. J.	3		Sept. 9	4	
Philadelphia, Pa.	132	39	do.	245	82
Pittsburgh, Pa.	3		Sept. 2	5	2
Pittsfield, Mass.	7	1	Sept. 9	12	2
Plainfield, N. J.	10	2	do.	7	
Providence, R. I.	2	1	do.	17	2
Quincy, Ill.			Sept. 2	1	
Reading, Pa.			Sept. 9	1	
Richmond, Va.			Sept. 2	2	1
Rock Island, Ill.	1				
Rutland, Vt.			Sept. 9	1	
Saginaw, Mich.	1	1	do.	6	
St. Louis, Mo.	5	1	Sept. 2	2	
St. Paul, Minn.	6		do.	8	2
Salt Lake City, Utah	1		Sept. 9	1	
San Francisco, Cal.			Sept. 2	2	1
Schenectady, N. Y.	1		do.		
Sioux City, Iowa			do.	1	
Somerville, Mass.	1		Sept. 9	3	
Springfield, Ill.	1		do.		
Springfield, Mass.	5		do.	14	4
Syracuse, N. Y.	34	8	Sept. 2	33	14
Taunton, Mass.	1		Sept. 9	1	
Toledo, Ohio	10	3	do.	18	4
Trenton, N. J.	11	3	do.	18	9
Troy, N. Y.	1		Sept. 2	3	2
Washington, D. C.	7		Sept. 13	6	1
Watertown, N. Y.			Sept. 2	1	1
West Hoboken, N. J.	7	2	do.		1
Wichita, Kans.			Sept. 9	1	
Wilkes-Barre, Pa.	1		do.	1	
Williamsport, Pa.	1		do.	1	
Wilmington, Del.	3	1	do.	6	3
Wilmington, N. C.			Sept. 2	1	
Worcester, Mass.			Sept. 9	5	
York, Pa.			do.	1	

RABIES IN MAN.**City Reports for Week Ended August 26, 1916.**

During the week ended August 26, 1916, there were reported, by cities, one fatal case of rabies in man at Ann Arbor, Mich., and one fatal case of rabies in man at Pittsburgh, Pa.

RABIES IN ANIMALS.**Washington—Seattle.**

Surg. Lloyd reported that during the month of August, 1916, 4 cases of rabies in dogs were reported in Seattle, Wash. This makes a total of 487 cases in dogs, 8 in cattle, 4 in cats, 2 in horses, and 1 in a hog since the appearance of the disease in Seattle, September 10, 1913.

City Reports for Week Ended August 26, 1916.

During the week ended August 26, 1916, there were reported, by cities, one case of rabies in animals at Detroit, Mich., one case at Niagara Falls, N. Y., and one case at Toledo, Ohio.

ROCKY MOUNTAIN SPOTTED FEVER.**Washington—Tacoma.**

Collaborating Epidemiologist Tuttle reported September 13 that a case of Rocky Mountain spotted fever had been notified at Tacoma, Wash.

Oregon Report for June, 1916.

During the month of June, 1916, four cases of Rocky Mountain spotted fever were reported in Oregon; three cases in Grant County, and one case in Jefferson County, Oreg.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2511.

SMALLPOX.**Miscellaneous State Reports.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Arkansas (July 1-31):			Oregon (June 1-30):		
Counties—			Grant County.....	1
Faulkner.....	1	Multnomah County.....	1
Hempstead.....	5	Portland.....	1
Jackson.....	3	Total.....	3
Lafayette.....	1	West Virginia (July 1-31):		
Lawrence.....	1	Counties—		
Phillips.....	3	Monongalia.....	3
Pulaski.....	3	Taylor.....	1
Sevier.....	7	Wayne.....	1
Union.....	5	Total.....	5
Total.....	29			
Colorado (July 1-31):					
Counties—					
Douglas.....	8			
Jefferson.....	1			
Lincoln.....	20			
Prowers.....	1			
Total.....	30			

City Reports for Week Ended Aug. 26, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Duluth, Minn.....	1	New Orleans, La.....	1
Evansville, Ind.....	1	Portland, Oreg.....	5
Lincoln, Nebr.....	4	Superior, Wis.....	1

TETANUS.**City Reports for Week Ended Aug. 26, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1	Quincy, Ill.....	1
Cleveland, Ohio.....	2	Richmond, Va.....	1
Mobile, Ala.....	1	Toledo, Ohio.....	1
New York, N. Y.....	1			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 2511.

TYPHOID FEVER.**State Reports for July, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Arkansas:		West Virginia:	
Bradley County.....	2	Berkeley County.....	5
Calhoun County.....	4	Clay County.....	1
Carroll County.....	7	Greenbrier County.....	5
Clay County.....	2	Hampshire County.....	3
Dallas County.....	1	Hancock County.....	1
Drew County.....	3	Harrison County.....	4
Faulkner County.....	10	Kanawha County.....	10
Garland County.....	2	Lincoln County.....	2
Greene County.....	2	McDowell County.....	1
Hempstead County.....	1	Marshall County.....	3
Hot Spring County.....	13	Marion County.....	9
Izard County.....	12	Mercer County.....	11
Jackson County.....	1	Mineral County.....	7
Johnson County.....	5	Monongalia County.....	2
Lawrence County.....	5	Monroe County.....	11
Newton County.....	2	Nicholas County.....	3
Perry County.....	1	Pendleton County.....	1
Phillips County.....	9	Putnam County.....	3
Pulaski County.....	10	Raleigh County.....	18
Sevier County.....	10	Randolph County.....	1
St. Francis County.....	4	Taylor County.....	3
Stone County.....	1	Tyler County.....	22
Union County.....	4	Wood County.....	7
Washington County.....	10	Total.....	133
White County.....	4		
Total.....	125		

Oregon Report for June, 1916.

Place.	New cases reported.	Place.	New cases reported.
Oregon:		Oregon—Continued.	
Coos County.....	1	Umatilla County.....	3
Marion County.....	2	Total.....	7
Multnomah County—			
Portland.....	1		

City Reports for Week Ended Aug. 26, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	2	Chelsea, Mass.....	3
Albany, N. Y.....	4	Chicago, Ill.....	41	5
Ann Arbor, Mich.....	20	2	Cleveland, Ohio.....	15	1
Atlantic City, N. J.....	3	Coffeyville, Kans.....	4
Baltimore, Md.....	38	2	Columbia, S. C.....	5	1
Beaver Falls, Pa.....	1	Columbus, Ohio.....	4
Berkeley, Cal.....	1	Covington, Ky.....	1
Birmingham, Ala.....	18	4	Cumberland, Md.....	1
Boston, Mass.....	5	Danville, Ill.....	3
Braddock, Pa.....	2	Denver, Colo.....	13
Bridgeport, Conn.....	2	Detroit, Mich.....	12	1
Brookton, Mass.....	1	Duluth, Minn.....	2
Buffalo, N. Y.....	8	1	Elgin, Ill.....	35	1
Butler, Pa.....	1	El Paso, Tex.....	1
Cambridge, Mass.....	1	Evansville, Ind.....	16	2
Camden, N. J.....	6	Everett, Wash.....	1
Canton, Ohio.....	1	Fall River, Mass.....	9	2
Charleston, S. C.....	8	1	Flint, Mich.....	9
Chattanooga, Tenn.....	2	1	Fort Worth, Tex.....	10

TYPHOID FEVER—Continued.

City Reports for Week Ended Aug. 26, 1916—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Galveston, Tex.....	2	1	Philadelphia, Pa.....	25	4
Grand Rapids, Mich.....	2		Pittsburgh, Pa.....	5	
Hamilton, Ohio.....	10		Pittsfield, Mass.....	1	
Harrisburg, Pa.....	16	1	Portland, Me.....	7	
Hartford, Conn.....	4		Portsmouth, N. H.....	1	
Hoboken, N. J.....	1		Portsmouth, Va.....	6	1
Indianapolis, Ind.....	134		Providence, R. I.....	8	1
Jackson, Mich.....	1		Quincy, Ill.....		1
Jersey City, N. J.....	6	1	Reading, Pa.....	5	
Johnstown, Pa.....	4		Richmond, Va.....	14	5
Kalamazoo, Mich.....		1	Roanoke, Va.....	7	
Kansas City, Mo.....	10	2	Rochester, N. Y.....	3	
Kenosha, Wis.....	1	1	Rock Island, Ill.....	1	
Knoxville, Tenn.....	1		Sacramento, Cal.....	1	1
Kokomo, Ind.....	1		Saginaw, Mich.....	1	1
Lancaster, Pa.....	3		St. Joseph, Mo.....	2	
Lawrence, Mass.....	2		St. Louis, Mo.....	24	5
Lexington, Ky.....	1	1	St. Paul, Minn.....	3	1
Little Rock, Ark.....	2		San Francisco, Cal.....	4	
Lorain, Ohio.....	2		Schenectady, N. Y.....	1	
Los Angeles, Cal.....	4		Seattle, Wash.....		1
Lowell, Mass.....	4		South Bend, Ind.....	4	
Lynchburg, Va.....	6		Springfield, Ill.....	1	
Lynn, Mass.....	8		Springfield, Mass.....	3	
Milwaukee, Wis.....	7		Springfield, Ohio.....	9	
Minneapolis, Minn.....	4		Tacoma, Wash.....	1	
Mobile, Ala.....	3		Toledo, Ohio.....	17	1
Morristown, N. J.....	1		Topeka, Kans.....	2	
Nashville, Tenn.....	18		Trenton, N. J.....	3	
New Bedford, Mass.....	1		Troy, N. Y.....	2	
New Haven, Conn.....	3		Washington, D. C.....	14	1
New London, Conn.....	1		Watertown, N. Y.....	5	
New Orleans, La.....	8	4	Wichita, Kans.....	7	
Newton, Mass.....	1		Wilkes-Barre, Pa.....	1	
New York, N. Y.....	81	3	Wilkinsburg, Pa.....	1	
Niagara Falls, N. Y.....	2	1	Wilmington, Del.....	1	
Norristown, Pa.....	4		Worcester, Mass.....	2	
North Adams, Mass.....	2		Zanesville, Ohio.....	2	1
Northampton, Mass.....	1				

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for July, 1916.

During the month of July, 1916, 20 cases of diphtheria, 15 cases of measles, and 10 cases of scarlet fever were reported in Arkansas; and 30 cases of diphtheria, 373 cases of measles, and 24 cases of scarlet fever were reported in West Virginia.

Oregon Report for June, 1916.

During the month of June, 1916, 6 cases of diphtheria, 146 cases of measles, and 60 cases of scarlet fever were reported in Oregon.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Aug. 26, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Over 500,000 inhabitants:											
Baltimore, Md.	584,605	209	11	1	10		4		18	31	
Boston, Mass.	745,139	238	42		27	3	17		47	28	
Chicago, Ill.	2,447,045	704	69	11	25		27	1	265	63	
Cleveland, Ohio.	656,975	205	25	1	4	1	4		44	18	
Detroit, Mich.	554,717	210	57	3	1	1	12		44	19	
New York, N. Y.	5,468,190	1,513	118	4	51	2	10		393	150	
Philadelphia, Pa.	1,683,664	587	39	5	24		7		127	79	
Pittsburgh, Pa.	571,984	173	23	4	23	1	4		17	13	
St. Louis, Mo.	745,988	176	28		3		7		37	14	
From 300,000 to 500,000 inhabit- ants:											
Buffalo, N. Y.	461,335	100	8		1		1		31	10	
Cincinnati, Ohio.	406,706	118	19	1		1	10		23	15	
Jersey City, N. J.	300,133	95	13	2			1		19	5	
Los Angeles, Cal.	465,367	107	8	1	5		1		54	12	
Milwaukee, Wis.	428,062	103	2		1		6		14	2	
Minneapolis, Minn.	353,400		3				3				
New Orleans, La.	366,484	130	8		19				27	21	
San Francisco, Cal.	1,416,912	111	23	1			6		62	17	
Seattle, Wash.	330,834	52	2		9		2		15	4	
Washington, D. C.	358,679	104	3		7		5		28	13	
From 100,000 to 300,000 inhabit- ants:											
Columbus, Ohio.	269,722		1		1		4		10	7	
Denver, Colo.	253,161		2		2		1				
Indianapolis, Ind.	265,578		3		1		3		12		
Kansas City, Mo.	289,879	57	5		2		2		8	5	
Portland, Oreg.	272,833	46	1		2				2	3	
Providence, R. I.	250,025	70	4	1	3		3			12	
Rochester, N. Y.	250,747	81	2		2	1			9	7	
St. Paul, Minn.	241,999	25	8		4		1		17		
From 100,000 to 200,000 inhabit- ants:											
Albany, N. Y.	103,580		2				1		12		
Birmingham, Ala.	174,108	44	2		1		4		5	6	
Bridgeport, Conn.	118,434	41	1		1					2	
Cambridge, Mass.	111,669	30	3		5		1		8	3	
Camden, N. J.	104,349		2				2		7		
Fall River, Mass.	126,964		3		1		1		6	3	
Grand Rapids, Mich.	125,750	29	2				1		7	1	
Hartford, Conn.	108,969		4		1				8	1	
Lowell, Mass.	112,124	34	6	2	15			1	1	2	
Lynn, Mass.	100,316	19	2				2		1	1	
Nashville, Tenn.	115,978	32	5		7		2		7	4	
New Bedford, Mass.	114,694				7		1		5	3	
New Haven, Conn.	147,095				1	1	2		12	3	
Omaha, Nebr.	135,455	40							3		
Reading, Pa.	105,034	40					2		2	2	
Richmond, Va.	154,674	51	3				4		10	5	
Salt Lake City, Utah.	113,567	17	3		9		8			2	
Springfield, Mass.	103,216	25			1				6		
Syracuse, N. Y.	152,534	61	3		2				12	2	
Tacoma, Wash.	108,094	10	1		8						
Toledo, Ohio.	187,840	70	4	1	1		6		3	9	
Trenton, N. J.	109,212	47	3	1					3	1	
Worcester, Mass.	160,523	45	8		1		3		6	4	
From 50,000 to 100,000 inhabit- ants:											
Akron, Ohio.	82,958		17		1		3		5		
Atlantic City, N. J.	55,806		1		1				2		
Bayonne, N. J.	67,582		2						2		
Berkeley, Cal.	51,879	5					2				
Binghamton, N. Y.	53,082	23	5							1	
Brockton, Mass.	65,746	11			1		1				
Canton, Ohio.	59,139	11	1		1		3		2	2	
Charleston, S. C.	60,427	32	1				1			5	
Chattanooga, Tenn.	58,576	10	1				2		2		
Covington, Ky.	56,520	15	2								
Duluth, Minn.	91,913		1				1		3		
El Paso, Tex.	51,936	29	1		3						

1 Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Aug. 26, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued.										
Evansville, Ind.	72,125	16	1				1		2	2
Flint, Mich.	52,159	20	1						2	
Fort Worth, Tex.	99,528	18	1							4
Harrisburg, Pa.	70,754	27								2
Hoboken, N. J.	76,105	11	1						1	2
Johnstown, Pa.	66,585		1				1			1
Lancaster, Pa.	50,269		2						1	
Lawrence, Mass.	98,197	41	2	1			1		1	1
Little Rock, Ark.	55,158	18							1	
Malden, Mass.	50,067	8	1		3		1		3	1
Manchester, N. H.	76,959	31	1	1					1	1
Mobile, Ala.	56,536	23							3	
New Britain, Conn.	52,203	1	1				1			
Oklahoma, Okla.	88,158	11			1		2			
Passaic, N. J.	69,010	18	1						1	1
Pawtucket, R. I.	58,156	14	2	1			1			1
Portland, Me.	63,014	16	2		1		1			1
Rockford, Ill.	53,761	10								
Sacramento, Cal.	64,806	27		1						2
Saginaw, Mich.	54,815	20					5			
St. Joseph, Mo.	83,974	23					2		1	2
San Diego, Cal.	51,115	25	3	1	1					2
Schenectady, N. Y.	95,265	23	3				1		3	
Sioux City, Iowa.	55,588		1							
Somerville, Mass.	85,460	23	1		2				3	5
South Bend, Ind.	67,030	19	3					1		1
Springfield, Ill.	59,468	12					2			1
Springfield, Ohio.	50,804	17					1		2	1
Troy, N. Y.	77,738		1		3		2			2
Wichita, Kans.	67,847		1				1		3	
Wilkes-Barre, Pa.	75,218	11	3						5	
Wilmington, Del.	93,161	33	2	1	1		1			
York, Pa.	50,543								2	
From 25,000 to 50,000 inhabit- ants:										
Alameda, Cal.	27,031	5			1					1
Auburn, N. Y.	36,947	8	2							
Brookline, Mass.	31,934	4							1	
Butler, Pa.	26,587	6	2							
Butte, Mont.	42,918	23							3	3
Chelsea, Mass.	32,452	13	1						1	1
Chicopee, Mass.	28,688	7					1		1	2
Columbia, S. C.	34,058	21	1						2	
Cumberland, Md.	25,564	9								1
Danville, Ill.	31,554	14	1				1		1	1
East Orange, N. J.	41,155	5			1				2	
Elgin, Ill.	27,844	4								1
Everett, Mass.	38,307		1						2	1
Everett, Wash.	33,767	8			1				8	
Fitchburg, Mass.	41,144	10	5		2				3	
Galveston, Tex.	41,076	8							1	
Hamilton, Ohio.	39,655	10							2	
Haverhill, Mass.	47,774	17	1							1
Jackson, Mich.	34,730	11					2			
Kalamazoo, Mich.	47,364	16			1				1	2
Kenosha, Wis.	30,319	5	1							
Knoxville, Tenn.	38,300				3				2	
La Crosse, Wis.	31,522	9	1							2
Lexington, Ky.	39,703	18	8				4		7	1
Lincoln, Nebr.	46,028	15								
Lorain, Ohio.	35,662						4			
Lynchburg, Va.	32,385	13					1			
Madison, Wis.	30,084		1							
Medford, Mass.	25,737								2	
Montclair, N. J.	25,550	1								
New Castle, Pa.	40,351						1			
Newport, R. I.	29,631	5								
Newton, Mass.	43,085	8			2				1	1
Niagara Falls, N. Y.	36,240	16	2	2					1	

1 Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Aug. 26, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 50,000 inhabit- ants—Continued.											
Norristown, Pa.	30,833	9								3	
Ogden, Utah.	30,466	1	2		3						
Orange, N. J.	32,524	13	2							2	
Pasadena, Cal.	43,859	8			1				2	1	
Perrin, Amboy, N. J.	39,725		2						4		
Pittsfield, Mass.	37,580	13									
Portsmouth, Va.	38,610	7									
Quincy, Ill.	36,761	12								1	
Roanoke, Va.	41,929	15	3	1	1					3	
Rock Island, Ill.	27,961	6	1							1	
San Jose, Cal.	37,994	9	1								
Steubenville, Ohio.	26,631	14									
Stockton, Cal.	34,508	13	1							1	
Superior, Wis.	45,285	7								2	
Taunton, Mass.	35,957	11							2		
Topeka, Kans.	47,914	5					1		1		
Waltham, Mass.	30,129	4	3				1				
Watertown, N. Y.	29,384		2						1	2	
West Hoboken, N. J.	41,893		1						3	1	
Wheeling, W. Va.	43,097	14	3								
Williamsport, Pa.	33,495		2		1				7		
Zanesville, Ohio.	30,406	12								1	
From 10,000 to 25,000 inhabit- ants:											
Ann Arbor, Mich.	14,979	8								2	
Braddock, Pa.	21,310	9								1	
Calro, Ill.	15,593	3									
Clinton, Mass.	¹ 13,675	3					1		1		
Concord, N. H.	22,480	9									
Galesburg, Ill.	23,923	4			1						
Kokomo, Ind.	20,312	3	1		1					1	
Long Branch, N. J.	15,057	3	1							2	
Melrose, Mass.	17,166	4							1		
Morristown, N. J.	13,158	3									
Nanticoke, Pa.	22,441	5									
Newburyport, Mass.	15,195	7							1		
New London, Conn.	20,771	4									
North Adams, Mass.	¹ 22,019	12			7		1		2	1	
Northampton, Mass.	19,846	8			2				4	1	
Plainfield, N. J.	23,280	9									
Portsmouth, N. H.	11,602		1		2						
Rutland, Vt.	14,624	2					1				
Sandusky, Ohio.	20,160				2				1		
Saratoga Springs, N. Y.	12,842	9								1	
Steelton, Pa.	15,337	6							2		
Wilkinsburg, Pa.	22,361	2									

¹ Population Apr. 15, 1910; no estimate made.